INTERNATIONAL JOURNAL OF ENGINEERING MANAGEMENT AND SOCIAL SCIENCES (IJEMSS)

e-ISSN : 3139-065X

www.ijemss.com

editor@ijemss.com

Vol. 01, Issue 2, June2026, pp :580-589

AI-Driven Smart Computing Models for Future Digital Systems

[1]Ginjala Venkata Siva

[1]Computer science and engineering (CSE), Assistant professor,
UCEK, JNTU KAKINADA

ABSTRACT

The rapid convergence of artificial intelligence (AI) and smart computing has ushered in a transformative era for digital systems design and deployment. This article examines the emerging paradigms of AI-driven smart computing models, exploring how machine learning, edge intelligence, neuromorphic computing, and federated learning architectures are reshaping the future of digital infrastructure. Drawing on recent advances in deep learning, autonomous computing, and cognitive architectures, the paper discusses the theoretical foundations and practical applications of AI-integrated computing models across sectors including healthcare, smart cities, industrial automation, and cybersecurity. The article also identifies key challenges such as energy efficiency, scalability, ethical governance, and data sovereignty, proposing a forward-looking framework for the sustainable integration of AI into next-generation digital ecosystems. The findings suggest that successful deployment of AI-driven computing models requires a multidisciplinary approach combining algorithmic innovation, hardware evolution, and robust policy frameworks.

Keywords: Artificial Intelligence, Smart Computing, Machine Learning, Edge Intelligence, Federated Learning, Neuromorphic Computing, Digital Systems, Deep Learning, Cognitive Architecture, Digital Transformation.

1. Introduction

The digital landscape is undergoing a profound transformation driven by the integration of artificial intelligence into the very fabric of computing architectures. Conventional computing paradigms, characterized by static rule-based processing and centralized data management, are increasingly giving way to intelligent, adaptive, and context-aware systems capable of learning from experience and making autonomous decisions. This shift is not merely incremental; it represents a categorical evolution in how computational systems are conceptualized, designed, and operationalized.

Smart computing, broadly defined as computing infrastructures that incorporate intelligence, adaptability, and autonomy, has gained enormous traction in both research and industry contexts. The infusion of AI into this domain amplifies its potential, enabling digital systems to perform complex cognitive tasks such as pattern recognition, natural language understanding, predictive analytics, and real-time optimization with unprecedented accuracy and efficiency. From intelligent data centers and edge computing nodes to autonomous robotic systems and smart grid management platforms, AI-driven computing models are emerging as foundational components of the digital economy.

The global impetus for smart digital systems is further reinforced by macro-level trends including the exponential growth of data generated by the Internet of Things (IoT), the proliferation of connected devices, demands for real-time processing in latency-sensitive applications, and escalating energy efficiency imperatives. Against this backdrop, traditional von Neumann computing architectures face inherent limitations in terms of memory bandwidth, energy consumption, and scalability. AI-driven models, leveraging novel paradigms such as neuromorphic chips, in-memory computing, and distributed learning, offer compelling solutions to these systemic constraints.

INTERNATIONAL JOURNAL OF ENGINEERING MANAGEMENT AND SOCIAL SCIENCES (IJEMSS)

e-ISSN : 3139-065X

www.ijemss.com

editor@ijemss.com

Vol. 01, Issue 2, June2026, pp :580-589

This article provides a comprehensive examination of AI-driven smart computing models with particular emphasis on their architectural principles, enabling technologies, application domains, and future trajectory. Section 2 reviews the theoretical foundations and key paradigms underpinning intelligent computing. Section 3 discusses enabling technologies and hardware innovations. Section 4 surveys major application domains. Section 5 addresses challenges and ethical considerations. Section 6 presents a framework for future development, followed by conclusions in Section 7.

2. Theoretical Foundations of AI-Driven Smart Computing

2.1 Cognitive Computing and Learning Architectures

Cognitive computing represents the intellectual bedrock of AI-driven smart systems, drawing from neuroscience, cognitive psychology, and computer science to replicate human-like reasoning capabilities within digital architectures. Unlike conventional computing that executes deterministic algorithms, cognitive systems employ probabilistic models, associative memory, and contextual inference to navigate ambiguous or incomplete information environments. The foundational theories of cognitive computing, spanning symbolic AI, connectionist models, and hybrid neuro-symbolic frameworks, collectively inform the design of intelligent digital systems capable of generalization, abstraction, and adaptive learning.

Machine learning (ML), a central pillar of cognitive computing, provides the algorithmic scaffolding through which systems acquire knowledge from data without being explicitly programmed. Supervised, unsupervised, and reinforcement learning paradigms each offer distinct mechanisms for model training, evaluation, and knowledge transfer. Deep learning (DL), a specialized branch of ML leveraging multi-layered neural networks, has demonstrated remarkable efficacy in perceptual tasks including image recognition, speech synthesis, and natural language processing, underpinning many modern smart computing applications.

2.2 Autonomous and Self-Organizing Systems

A defining characteristic of AI-driven smart computing is the capacity for autonomy, whereby systems can monitor their environment, reason about observed states, and execute purposeful actions without continuous human intervention. Autonomous computing models, inspired by autonomic computing principles articulated by IBM in the early 2000s, emphasize four core properties: self-configuration, self-optimization, self-healing, and self-protection. These properties collectively enable digital systems to manage complexity and maintain operational continuity in dynamic, fault-prone environments.

Self-organizing systems extend this paradigm by incorporating emergent behavior and decentralized coordination mechanisms analogous to biological swarms, neural assemblies, and ecological networks. Swarm intelligence algorithms, such as ant colony optimization and particle swarm optimization, exemplify how locally simple agents can collectively produce globally intelligent behavior. When embedded in smart computing infrastructure, such mechanisms facilitate adaptive load balancing, dynamic resource allocation, and resilient network topology management without centralized control overhead.

INTERNATIONAL JOURNAL OF ENGINEERING MANAGEMENT AND SOCIAL SCIENCES (IJEMSS)

e-ISSN : 3139-065X

www.ijemss.com

editor@ijemss.com

Vol. 01, Issue 2, June2026, pp :580-589

2.3 Distributed Intelligence and Federated Learning

The increasing ubiquity of edge devices and privacy-sensitive applications has catalyzed the development of federated learning (FL) as a distributed AI paradigm. Unlike conventional centralized ML, federated learning enables model training across decentralized data sources, allowing individual nodes, ranging from smartphones to industrial sensors, to contribute to a shared global model while retaining raw data locally. This architecture addresses fundamental tensions between model performance and data privacy, making it particularly relevant for healthcare, financial services, and critical infrastructure applications.

Theoretical advances in FL, including communication-efficient gradient aggregation, differential privacy mechanisms, and Byzantine-fault-tolerant protocols, have substantially enhanced the robustness and practicality of distributed intelligence. Recent research also explores hierarchical federated architectures where intermediate aggregation nodes at the edge cluster reduce communication overhead with central servers, enabling scalable deployment across heterogeneous device ecosystems. The convergence of FL with transfer learning further enhances model generalization across diverse data distributions and device capabilities.

3. Enabling Technologies and Hardware Innovations

3.1 Neuromorphic Computing

Neuromorphic computing represents one of the most radical departures from conventional silicon architectures, drawing inspiration from the structural and functional organization of the biological brain. Neuromorphic chips, such as Intel's Loihi and IBM's TrueNorth, employ spiking neural networks (SNNs) that process information through discrete temporal events, or spikes, rather than continuous floating-point operations. This event-driven paradigm achieves extraordinary energy efficiency, making neuromorphic processors particularly attractive for always-on intelligent sensing applications in edge computing, robotics, and wearable devices.

The computational model underlying neuromorphic systems leverages spike-timing-dependent plasticity (STDP) and other Hebbian learning rules to enable online, unsupervised adaptation directly on hardware, without requiring conventional gradient-based training procedures. This capability enables lifelong learning in deployed systems, a property of profound practical significance for applications in unpredictable and dynamically evolving environments. As neuromorphic hardware matures toward large-scale integration, its role in AI-driven smart computing is poised to expand substantially, particularly for real-time sensory inference and adaptive control tasks.

3.2 Edge Intelligence and Fog Computing

Edge computing paradigms, which position computational resources proximal to data sources rather than in distant cloud centers, are integral to realizing the full potential of AI-driven smart systems. Edge intelligence refers to the deployment of AI inferencing and lightweight training capabilities at the network edge, encompassing base stations, gateway devices, and embedded systems. By processing data locally, edge AI dramatically reduces latency, alleviates network bandwidth constraints, and enhances privacy by minimizing data transmission to central servers.

Fog computing extends edge intelligence across a hierarchical continuum between end devices and cloud infrastructure,

INTERNATIONAL JOURNAL OF ENGINEERING MANAGEMENT AND SOCIAL SCIENCES (IJEMSS)

e-ISSN : 3139-065X

www.ijemss.com

editor@ijemss.com

Vol. 01, Issue 2, June2026, pp :580-589

enabling fine-grained orchestration of computational workloads based on real-time requirements. AI-driven workload scheduling algorithms dynamically migrate tasks across fog nodes in response to changing network conditions, device availability, and application priority. This fluid, intelligence-guided resource management is essential for latency-sensitive applications such as autonomous vehicles, industrial control systems, and augmented reality platforms where deterministic response times are operationally critical.

3.3 In-Memory and Quantum Computing

In-memory computing architectures address the von Neumann bottleneck by integrating processing capabilities directly within memory arrays, thereby eliminating the energy-intensive data shuttle between processor and memory units. Emerging memristive devices, including phase-change memory (PCM) and resistive RAM (ReRAM), enable analog matrix-vector multiplications central to neural network inference to be performed in situ with orders-of-magnitude improvements in energy efficiency. Such architectures are particularly well-suited to the computationally intensive matrix operations characteristic of deep learning workloads.

Quantum computing, though still in its developmental phase, promises exponential computational advantages for specific problem classes including optimization, cryptography, and quantum chemistry simulation. The integration of quantum processing units (QPUs) into hybrid classical-quantum computing architectures represents a nascent but strategically important frontier for AI-driven digital systems. Quantum machine learning algorithms, leveraging quantum superposition and entanglement, offer theoretical potential to accelerate training of complex probabilistic models and solve combinatorial optimization problems intractable for classical systems, with significant implications for drug discovery, logistics, and financial modeling.

4. Application Domains

4.1 Smart Cities and Urban Infrastructure

The concept of the smart city, integrating AI-driven computing across transportation, energy, public safety, and municipal services, represents one of the most ambitious and consequential applications of intelligent digital systems. AI-powered traffic management platforms employ real-time sensor fusion, predictive modeling, and adaptive signal control to optimize vehicular flow, reduce congestion, and minimize emissions across urban networks. Smart energy grids leverage ML-based demand forecasting, anomaly detection, and autonomous fault isolation to enhance grid stability and facilitate the integration of renewable energy sources.

Urban surveillance and public safety systems increasingly incorporate AI-driven video analytics, including object detection, behavior recognition, and crowd flow analysis, to support law enforcement and emergency response functions. Intelligent waste management systems optimize collection routes and schedules through predictive analytics, reducing operational costs and environmental impact. The aggregation of heterogeneous urban data streams through AI-integrated smart computing platforms enables city administrators to transition from reactive management to proactive, evidence-based urban governance, enhancing quality of life and sustainability outcomes.

INTERNATIONAL JOURNAL OF ENGINEERING MANAGEMENT AND SOCIAL SCIENCES (IJEMSS)

e-ISSN : 3139-065X

www.ijemss.com

editor@ijemss.com

Vol. 01, Issue 2, June2026, pp :580-589

4.2 Healthcare and Biomedical Systems

Healthcare represents perhaps the most socially consequential domain for AI-driven smart computing, with applications spanning clinical decision support, medical imaging diagnostics, drug discovery, personalized medicine, and remote patient monitoring. Convolutional neural networks have achieved diagnostic accuracy comparable to specialist clinicians in radiology tasks including diabetic retinopathy screening, lung nodule detection, and dermatological lesion classification. Natural language processing models extract structured clinical insights from unstructured electronic health records, supporting epidemiological research and quality improvement initiatives.

AI-driven smart computing also underpins the next generation of wearable health monitoring systems, enabling continuous, real-time assessment of vital signs, physical activity, and behavioral health indicators with clinical-grade accuracy. Federated learning frameworks are increasingly deployed in healthcare networks to enable collaborative model training across hospitals and clinics while preserving patient data confidentiality in compliance with regulatory frameworks such as the Health Insurance Portability and Accountability Act (HIPAA) and India's proposed Digital Personal Data Protection (DPDP) Act. The convergence of genomics, AI, and smart computing further accelerates precision medicine, enabling individualized therapeutic strategies based on genetic, environmental, and lifestyle determinants.

4.3 Industrial Automation and Industry 4.0

The fourth industrial revolution, characterized by the integration of cyber-physical systems, IoT, and AI into manufacturing and industrial operations, represents a major deployment frontier for AI-driven smart computing. Intelligent predictive maintenance systems monitor equipment sensor data streams in real-time using ML algorithms to detect incipient failures, schedule maintenance interventions, and minimize unplanned downtime. AI-driven quality control systems employ computer vision to identify defects in manufactured components with precision and throughput unattainable through manual inspection.

Collaborative robotic systems, or cobots, equipped with AI perception and planning capabilities, work alongside human operators in flexible manufacturing cells, adapting to variations in product design, component geometry, and operational context. Digital twin technology, creating AI-synchronized virtual replicas of physical assets and production systems, enables real-time operational optimization, scenario simulation, and engineering design validation. The integration of AI-driven smart computing across the industrial value chain from raw material procurement to product delivery supports the realization of adaptive, resilient, and highly efficient manufacturing ecosystems.

4.4 Cybersecurity and Intelligent Defense Systems

As digital systems grow in complexity and strategic importance, AI-driven smart computing is playing an increasingly critical role in cybersecurity threat detection, incident response, and resilience engineering. Anomaly detection models trained on network traffic, user behavior, and system event logs identify sophisticated threats including zero-day exploits, advanced persistent threats (APTs), and insider attacks with speed and scalability beyond human analyst capabilities. AI-powered security orchestration, automation, and response (SOAR) platforms autonomously triage alerts, correlate indicators of compromise, and execute containment actions, dramatically reducing mean time to

INTERNATIONAL JOURNAL OF ENGINEERING MANAGEMENT AND SOCIAL SCIENCES (IJEMSS)

e-ISSN : 3139-065X

www.ijemss.com

editor@ijemss.com

Vol. 01, Issue 2, June2026, pp :580-589

response (MTTR) for security incidents.

Adversarial machine learning, which encompasses both the study of attacks against AI systems and the development of countermeasures, is an emerging sub-discipline with profound implications for the trustworthiness of AI-driven digital infrastructure. Adversarial examples, crafted perturbations imperceptible to human observers that reliably fool neural network classifiers, pose significant risks in security-sensitive applications. Research into robust optimization, certified defenses, and formal verification methods for AI systems is critical to ensuring the integrity of smart computing architectures deployed in high-stakes operational environments.

5. Challenges and Ethical Considerations

5.1 Energy Efficiency and Environmental Sustainability

The computational demands of large-scale AI models, particularly foundation models and generative AI systems with hundreds of billions of parameters, impose substantial energy costs with significant environmental implications. Training a single large language model has been estimated to consume energy equivalent to the lifetime carbon emissions of several automobiles, raising urgent questions about the ecological sustainability of AI-driven computing at scale. Optimizing energy efficiency across the hardware-software stack, through techniques including model pruning, quantization, knowledge distillation, and efficient neural architecture search, is a critical research imperative for the field.

Green computing principles must be embedded in the design of AI-driven smart computing infrastructure from the outset, encompassing renewable energy procurement for data centers, efficient cooling systems, hardware lifecycle management, and carbon-aware workload scheduling. The development of specialized AI accelerators with superior performance-per-watt metrics relative to general-purpose GPUs represents a hardware-level response to energy efficiency imperatives. Long-term sustainability requires a systemic rethinking of AI development practices, incentivizing resource-efficient algorithmic approaches and establishing industry-wide benchmarks for computational and environmental efficiency.

5.2 Scalability and Interoperability

The deployment of AI-driven smart computing at societal scale demands architectures that are both horizontally scalable to accommodate growing data volumes and user populations, and vertically integrable across heterogeneous hardware platforms, operating systems, and application frameworks. Containerization and microservices architectures, orchestrated through platforms such as Kubernetes, provide flexible, cloud-native deployment models for AI services. However, ensuring consistent model performance, version management, and observability across distributed deployment environments remains technically challenging.

Interoperability between AI systems from different vendors and built on different frameworks is a systemic challenge with significant economic and operational consequences. Open standards for AI model exchange, such as the Open Neural Network Exchange (ONNX) format, and emerging frameworks for AI service composition and interoperability facilitate more flexible, vendor-neutral deployment architectures. In federated and multi-stakeholder deployment

INTERNATIONAL JOURNAL OF ENGINEERING MANAGEMENT AND SOCIAL SCIENCES (IJEMSS)

e-ISSN : 3139-065X

www.ijemss.com

editor@ijemss.com

Vol. 01, Issue 2, June2026, pp :580-589

contexts, robust protocols for model sharing, versioning, and governance are essential to enabling the collaborative intelligence architectures required for complex smart city and industrial applications.

5.3 Ethical Governance and Responsible AI

The embedding of AI-driven decision-making in digital infrastructure with direct consequences for individual welfare, social equity, and national security necessitates robust ethical governance frameworks. Algorithmic bias, arising from unrepresentative training data or inappropriate model design choices, can systematically disadvantage vulnerable populations in consequential domains including hiring, credit allocation, healthcare diagnostics, and criminal justice. Ensuring fairness, accountability, and transparency in AI systems deployed in smart computing infrastructure requires both technical interventions, such as bias auditing and counterfactual explanation methods, and institutional mechanisms including regulatory oversight, independent auditing, and affected community participation.

Data sovereignty and privacy rights represent foundational concerns in AI-driven digital systems, particularly as smart computing infrastructures aggregate sensitive personal and behavioral data at unprecedented scale. Differential privacy, secure multi-party computation, and homomorphic encryption offer technical approaches to privacy-preserving AI computation, though each involves trade-offs between privacy guarantees and computational efficiency. Regulatory frameworks such as the European General Data Protection Regulation (GDPR) and national AI governance policies establish legal boundaries for data collection and use, but the global, borderless nature of digital systems requires coordinated international governance to be fully effective.

6. A Framework for Future AI-Driven Digital Ecosystems

The trajectory of AI-driven smart computing points toward increasingly integrated, adaptive, and autonomous digital ecosystems in which intelligence is pervasive rather than localized. The realization of this vision requires coherent progress across four interlocking dimensions: algorithmic innovation, hardware evolution, infrastructural integration, and governance maturity.

On the algorithmic dimension, continued advances in few-shot and zero-shot learning, causal reasoning, and explainable AI are essential to expanding the range of tasks amenable to AI-driven automation while maintaining human interpretability and auditability. Foundation models, pre-trained on vast corpora and fine-tuned for specific downstream applications, offer a compelling paradigm for transferable intelligence, reducing the data and computational requirements for domain-specific AI deployment. Hybrid neuro-symbolic architectures that combine the pattern recognition capabilities of neural networks with the logical reasoning strengths of symbolic systems hold promise for robust, generalizable AI that can operate reliably across open-world environments.

Hardware innovation must pursue a dual agenda of specialized performance and general accessibility. The development of AI-optimized silicon spanning neuromorphic processors, photonic computing elements, and quantum co-processors will unlock new performance-efficiency frontiers. Simultaneously, democratization of AI computing through efficient model compression techniques and cloud-based AI services ensures that the benefits of intelligent digital systems are broadly accessible rather than concentrated in technologically advanced economies. The standardization of hardware

INTERNATIONAL JOURNAL OF ENGINEERING MANAGEMENT AND SOCIAL SCIENCES (IJEMSS)

e-ISSN : 3139-065X

www.ijemss.com

editor@ijemss.com

Vol. 01, Issue 2, June2026, pp :580-589

interfaces and software frameworks accelerates this democratization by reducing integration complexity for developers and system integrators.

Infrastructural integration requires treating intelligence not as an add-on capability but as a native property of digital systems architecture. This entails designing for AI workloads from the network topology level through to storage and application layers, embedding telemetry, observability, and feedback loops that enable continuous system learning and adaptation. Intelligent infrastructure management platforms leveraging reinforcement learning for resource optimization, predictive analytics for capacity planning, and automated remediation for fault management represent the operational expression of AI-native infrastructure philosophy.

Governance maturity is the sine qua non of trustworthy AI-driven digital ecosystems. Progressive regulatory frameworks that evolve alongside technological capabilities, combined with industry self-regulation through technical standards and certification schemes, create the enabling conditions for responsible innovation. International cooperation on AI governance, particularly in areas of cross-border data flows, dual-use AI technologies, and AI-enabled critical infrastructure, is essential to preventing regulatory fragmentation and ensuring that the global benefits of AI-driven computing are realized equitably and sustainably.

7. Conclusion

AI-driven smart computing models represent the cornerstone of future digital systems, enabling unprecedented levels of automation, adaptability, and intelligence across virtually every domain of human activity. This article has traced the theoretical foundations of cognitive computing and distributed intelligence, examined enabling hardware technologies from neuromorphic chips to quantum processors, and surveyed transformative applications in smart cities, healthcare, industry, and cybersecurity. The analysis reveals that while the potential of AI-driven computing is immense, its realization demands sustained attention to challenges of energy efficiency, interoperability, and ethical governance.

The evolution toward pervasive, AI-native digital ecosystems is not merely a technological project but a societal one, requiring careful stewardship to ensure that the benefits of intelligent computing are distributed equitably and that its risks are managed responsibly. Researchers, technologists, policymakers, and civil society stakeholders must collaborate in shaping AI-driven digital systems that are not only computationally powerful but also trustworthy, sustainable, and aligned with human values. As AI continues to advance in capability and ubiquity, the models and frameworks developed today will determine the character of the digital civilization of tomorrow.

References

1. Bhatt, P., & Bhatt, R. (2022). Cognitive computing in digital systems: Architecture, applications, and future perspectives. Journal of Intelligent Systems and Computing, 31(4), 112–134.
2. Chen, X., Wang, H., & Liu, Y. (2023). Federated learning for privacy-preserving smart computing in distributed IoT environments. IEEE Transactions on Neural Networks and Learning Systems, 34(7), 3542–3558.
3. Davies, M., Srinivasa, N., Lin, T. H., Chinya, G., Cao, Y., Choday, S. H., & Wang, H. (2018). Loihi: A neuromorphic

4. manycore processor with on-chip learning. IEEE Micro, 38(1), 82–99.
5. Gill, S. S., Wu, H., Patros, P., Ottenwälder, B., Uhlig, S., & Buyya, R. (2022). Modern computing: Vision and challenges. Telematics and Informatics Reports, 9, 100–120.
6. Goodfellow, I., Bengio, Y., & Courville, A. (2016). Deep learning. MIT Press.
7. Hartmann, M., Hashmi, U. S., & Imran, A. (2022). Edge computing in smart health care systems: Review, challenges, and research directions. Transactions on Emerging Telecommunications Technologies, 33(3), e3710.
8. He, K., Zhang, X., Ren, S., & Sun, J. (2016). Deep residual learning for image recognition. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 770–778.
9. Huang, G., Liu, Z., Van Der Maaten, L., & Weinberger, K. Q. (2017). Densely connected convolutional networks. Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition, 4700–4708.
10. Khan, L. U., Saad, W., Han, Z., Hossain, E., & Hong, C. S. (2021). Federated learning for internet of things: Recent advances, taxonomy, and prospects. IEEE Communications Surveys & Tutorials, 23(4), 2395–2435.
11. LeCun, Y., Bengio, Y., & Hinton, G. (2015). Deep learning. Nature, 521(7553), 436–444.
12. Li, T., Sahu, A. K., Talwalkar, A., & Smith, V. (2020). Federated learning: Challenges, methods, and future directions. IEEE Signal Processing Magazine, 37(3), 50–60.
13. Merolla, P. A., Arthur, J. V., Alvarez-Icaza, R., Cassidy, A. S., Sawada, J., Akopyan, F., & Modha, D. S. (2014). A million spiking-neuron integrated circuit with a scalable communication network and interface. Science, 345(6197), 668–673.
14. Mnih, V., Kavukcuoglu, K., Silver, D., Rusu, A. A., Veness, J., Bellemare, M. G., & Hassabis, D. (2015). Human-level control through deep reinforcement learning. Nature, 518(7540), 529–533.
15. Nguyen, D. C., Ding, M., Pathirana, P. N., Seneviratne, A., Li, J., & Poor, H. V. (2021). Federated learning for Internet of Things: A comprehensive survey. IEEE Communications Surveys & Tutorials, 23(3), 1622–1658.
16. Pan, S. J., & Yang, Q. (2010). A survey on transfer learning. IEEE Transactions on Knowledge and Data Engineering, 22(10), 1345–1359.
17. Preskill, J. (2018). Quantum computing in the NISQ era and beyond. Quantum, 2, 79.
18. Ravi, D., Wong, C., Deligianni, F., Berthelot, M., Andreu-Perez, J., Lo, B., & Yang, G. Z. (2017). Deep learning for health informatics. IEEE Journal of Biomedical and Health Informatics, 21(1), 4–21.
19. Shi, W., Cao, J., Zhang, Q., Li, Y., & Xu, L. (2016). Edge computing: Vision and challenges. IEEE Internet of Things Journal, 3(5), 637–646.
20. Silver, D., Huang, A., Maddison, C. J., Guez, A., Sifre, L., Van Den Driessche, G., & Hassabis, D. (2016). Mastering

the game of Go with deep neural networks and tree search. Nature, 529(7587), 484–489.

21. Strubell, E., Ganesh, A., & McCallum, A. (2019). Energy and policy considerations for deep learning in NLP. Proceedings of the 57th Annual Meeting of the Association for Computational Linguistics, 3645–3650.
22. Talaminos-Barroso, A., Estudillo-Valderrama, M. A., Roa, L. M., Reina-Tosina, J., & Ortega-Ruiz, F. (2016). A machine learning-based model for prediction in connected health. Computers in Biology and Medicine, 75, 23–33.
23. Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., & Polosukhin, I. (2017). Attention is all you need. Advances in Neural Information Processing Systems, 30, 5998–6008.
24. Warnecke, J., Rückin, J., Paquereau, L., Lenders, V., Hahn, T., & Flügel, T. (2021). Evaluating explanation methods for deep learning in security. IEEE European Symposium on Security and Privacy, 379–396.
25. Yang, Q., Liu, Y., Chen, T., & Tong, Y. (2019). Federated machine learning: Concept and applications. ACM Transactions on Intelligent Systems and Technology, 10(2), 1–19.
26. Zhao, Y., Li, M., Lai, L., Suda, N., Civin, D., & Chandra, V. (2018). Federated learning with non-IID data. arXiv preprint arXiv:1806.00582.